

**Complete Listing of all Pending Claims:**

---

1. (Currently amended) A system comprising:  
a plurality of content providers coupled to a network; and  
one or more publication agents, coupled to the network, to issue one or more requests for content from select content providers according to a publication schedule at a time(s) appropriate to the content requested upon receipt of denoted in a publication profile.
2. (Currently amended) A system according to claim 1, wherein the publication profile additionally ~~minimally~~ denotes a time for publication.
- A<sub>1</sub> 3. (Currently amended) A system according to claim 1, wherein the publication profile additionally denotes a publication location.
4. (Original) A system according to claim 1, wherein the publication profile is associated with a recipient of the publication, denoting a time for publication, where to send the requested content, requested publication format(s), and a type(s) of content requested.
5. (Original) A system according to claim 1, wherein the types of content requested include media types including, but not limited to, audio content, video content, graphical content, textual content and the like.
6. (Original) A system according to claim 1, wherein the publication agent(s) read a received publication request to identify one or more of a publication time, desired content, and/or desired format of the publication.
7. (Original) A system according to claim 6, wherein the publication agent(s) issue content request(s) to content providers based, at least in part, on the publication time and time-sensitive nature of the desired content.

8. (Currently amended) A system according to claim 7, wherein content request(s) for time-sensitive content are issued close to the time of publication, whereas content request(s) for other content are issued upon receipt of the publication profile.

9. (Original) A system according to claim 1, further comprising:  
a formatting engine, coupled to the network, to receive content from the content providers and dynamically compile the publication.

10. (Original) A system according to claim 9, wherein the formatting engine is located at a point of publication.

Ac 11. (Original) A system according to claim 10, wherein the point of publication is a computing system associated with a recipient of the publication.

12. (Original) A system according to claim 9, wherein the formatting engine issues the publication profile to the publication agent(s).

13. (Original) A system according to claim 12, wherein the formatting engine broadcasts the publication profile on the network, for reception by at least a subset of the publication agents coupled to the network.

14. (Original) A system according to claim 12, wherein the publication profile includes an address for the formatting agent.

15. (Original) A system according to claim 9, wherein the formatting engine receives content from the publication agent(s) up until the point of publication and incorporates the newly received content into a dynamically modifiable format of the publication for presentation to the recipient.

16. (Original) A system according to claim 15, wherein the formatting engine dynamically modifies the format of the publication to reflect the received content and format preferences identified in the publication profile.

17. (Original) A system according to claim 9, wherein one or more of the publication agent(s) is also a formatting agent.

18. (Original) A system according to claim 9, wherein the formatting agent is also a publication agent.

19. (Original) A system according to claim 1, wherein the publication agent(s) cache responses to content requests to satisfy subsequent publication profiles requesting similar content.

A<sub>1</sub> 20. (Original) A system according to claim 1, wherein the publication agent(s) pre-fetch and cache content to selectively place in subsequent publications.

21. (Original) A system according to claim 1, wherein the publication agent(s) perform at least an initial formatting of the received content in accordance with publication format preferences denoted in the publication profile.

22. (Currently amended) A method comprising:  
issuing a first and second request for content, ~~including~~ according to a publication profile, to a plurality of content providers, the first and second requests being based, at least in part, on a time denoted in a publication time field and the time sensitive nature of the requested content ~~at a time reflective of the dynamic nature of the requested content; and;~~  
receiving, from the first content provider, content that is unlikely to change over a set period of time, and;  
receiving, from a content provider providing time-sensitive material, time-sensitive content, wherein  
the time-sensitive material is received after the content that is unlikely to change over a set period of time and immediately prior to publication.  
~~receiving content from at least a subset of the plurality of content providers based, at least in part, on the publication profile, wherein the content received from~~

~~each of the content providers is received at a time reflective of the dynamic nature of the content.~~

23. (Original) A method according to claim 22, wherein the publication profile includes a time for publication.

24. (Original) A method according to claim 22, wherein the publication profile includes information denoting content of interest to a requesting user.

25. (Original) A method according to claim 22, further comprising:  
performing an initial formatting of the retrieved content based, at least in part,  
on preferences denoted in the publication profile.

26. (Original) A method according to claim 22, further comprising:  
sending the retrieved content to a formatting engine for integration and  
publication for the requesting user.

27. (Original) A method according to claim 22, further comprising:  
integrating the retrieved content into a publication; and  
sending the publication to a requesting user and/or community.

28. (Original) A method according to claim 22, further comprising:  
caching retrieved content to satisfy subsequent publication requests for  
similar content.

29. (Original) A method according to claim 22, further comprising:  
pre-fetching content from one or more of the plurality of content providers,  
irrespective of received publication requests;  
caching the pre-fetched content; and  
opportunistically sending the pre-fetched content to requesting user for  
integration within a publication.

---